

第1回 「K」検定解答一覧

クランズマン級

No.	解答	No.	解答
1	2	51	4
2	2	52	2
3	3	53	2
4	4	54	2
5	3	55	1
6	2	56	3
7	2	57	3
8	3	58	1
9	1	59	4
10	3	60	4
11	1	61	1
12	2	62	2
13	2	63	2
14	1	64	2
15	4	65	1
16	3	66	3
17	1	67	1
18	4	68	3
19	2	69	3
20	3	70	1
21	2	71	4
22	1	72	1
23	3	73	2
24	4	74	4
25	1	75	3
26	1	76	2
27	3	77	3
28	4	78	2
29	2	79	2
30	3	80	3
31	1	81	3
32	2	82	1
33	3	83	3
34	4	84	2
35	3	85	4
36	2	86	3
37	2	87	2
38	3	88	4
39	4	89	1
40	1	90	1
41	3	91	1
42	2	92	4
43	3	93	4
44	3	94	4
45	2	95	2
46	4	96	1
47	1	97	4
48	3	98	4
49	1	99	1
50	2	100	3

幹部クランズマン級

No.	解答	No.	解答
1	1	51	3
2	1	52	1
3	4	53	3
4	1	54	3
5	4	55	1、2、3、4
6	3	56	3
7	2	57	1
8	3	58	2
9	1	59	3
10	2	60	2
11	3	61	4
12	4	62	1
13	2	63	3
14	1	64	2
15	3	65	2
16	2	66	1
17	4	67	2
18	1	68	1
19	4	69	2
20	1	70	3
21	3	71	2
22	4	72	4
23	1	73	3
24	2	74	4
25	3	75	4
26	4	76	3
27	2	77	2
28	2	78	3
29	3	79	1
30	2	80	3
31	4	81	4
32	3	82	4
33	1	83	4
34	2	84	1
35	3	85	3
36	2	86	2
37	1	87	3
38	4	88	2
39	3	89	1
40	2	90	3
41	4	91	4
42	1	92	4
43	2	93	3
44	4	94	1
45	1	95	4
46	2	96	3
47	3	97	2
48	1	98	2
49	3	99	3
50	1	100	3

※幹部クランズマン級問55について、正解選択肢②の漢字表記が誤ってございましたため、全選択肢正解と致します。

(誤)②平坂ビルの屋上

(正)②比良坂ビルの屋上